



Trolleys & Mounts



Wall Brackets



Trolleys



Wall Lifts




Mounts



Clevertouch Wall Bracket 55"-98"

Transform your Clevertouch display into an impressive wall-mounted centerpiece with our easy-to-fit wall bracket, compatible with 55" to 98" displays. Say goodbye to clutter and embrace a sleek, space-saving setup that captivates your audience while effortlessly enhancing your interactive presentations and digital experiences. The sturdy construction ensures a secure and precise installation, allowing you to elevate your content to new heights with an optimized viewing experience.




Clevertouch Wall Bracket 55"-98" Specifications

Features

Dimension (L×W×H)	960 x 650 x 46mm
Dimension with Package (L×W×H)	1015 x 285 x 65mm
Distance from the wall	46mm
Net Weight	6.0kg
Gross Weight	6.4kg
Max Load	160kg
Max Load Size Recommend	No more than 98 inches
Screw	M8 x 25mm

Accessories

Screw(M8×25mm)	×6 (There are 6 in total, 2 of which are reserved)
Screw(M5×15mm)	×4 (There are 4 in total, 2 of which are reserved)
Expansion plug (Diameter×length, material)	×10 (Φ12×60mm,PMMA) (There are 10 in total, 2 of which are reserved)
The screws that hold the wall mount	×10 (Φ8.0×60mm,Surface Hardness 8H,rust prevention) (There are 10 in total,2 of which are reserved)
Quick Start Guide	x1



© 2021 Clevertouch. All rights reserved. Sahara Presentations Systems PLC. is part of the Boxlight group of companies, and the owner of trademarks in several global jurisdictions including but not limited to Clevertouch, the Clevertouch logo, UX Pro, IMPACT™, IMPACT Plus™, Impact MAX, CleverLive, LUX, Lynx, CleverMessage, Cleverstore and Clevershare. All third-party trademarks (including logos and icons) referenced by Clevertouch remain the property of their respective owners. Unless specifically identified as such, Clevertouch's use of third-party trademarks does not indicate any relationship, sponsorship, or endorsement between Clevertouch and the owners of these trademarks. Applicable Terms and Conditions for warranty and support available at clevertouch.com/about/warranty. All weights and dimensions are approximate. Product specifications are subject to change without notice. Clevertouch.com.

Trolley Lift LIGHT

Only available
in Belgium

The Mobile Height adjustable Trolley Lift LIGHT is designed to accommodate screens up to 86". It offers convenient mobility with its four heavy-duty castors, two of which have brakes for effortless mounting of the display. Control is made easy with the included wired remote control. Suitable for ages 4-16 (approximate body size 1190-1880mm).

Mobile Height adjustable Trolley Lift LIGHT Specifications

Features


Minimum height	1175mm (Centre Screen)
Maximum height	1675mm (Centre Screen)
Colour	Black/Grey
Maximum load	150kg approx
Mobile/fixed	Mobile
Height adjustment	Electr. 500mm
Bracket/interface	Included
Type bracket/interface	VESA
Range bracket/interface	VESA 200 x 200 up to 800 x 600

Accessories

Side shelf	1
------------	---

Packing Units

Item No.	Description	Packing dimensions (mm)	Net weight (kg)	Gross weight (kg)
CCEL-AF	Electrical height adjustable column, 500mm height adjustment, L = 1200mm	1330 x 270 x 220	24,1	27,8
MST-SCETAVLI	V-shaped mobile stand	1130 x 780 x 140	12,8	15,5
Total Weight			36,9	43,3



CleverAscent Trolley FP

Learn More

The CleverAscent Trolley FP is equipped with Dynamic Pressure Response capability which means when the screen touches something during a movement the trolley will stop and back up. The CleverAscent Trolley FP features a foot pedal high-low height adjustment as well as standard hand adjustment, and is suitable for use with 55-86" displays. The mobile frame enables you to effortlessly move your touchscreen around your room, or to another room completely.




CleverAscent Trolley FP Specifications

Key Benefits

Integrated Dynamic Pressure Response
App control for cart height adjustment
Height to centre of screen 918mm - 1418mm
Extra large robust wheels for super smooth mobility
With a travel of 500mm the lift offers a suitable working height for everyone
Maximum stability with large flat panels due to the baseframe
With sufficient storage space for peripherals like a mini PC or thin client
Large flat panel mounting range of max. VESA 800 x 600
Optional laptop and VC shelf available
Foot Pedal for flexible height adjustment

Features

Minimum height	918mm (Center Screen)
Maximum height	1418mm (Center Screen)
Colour	Black
Maximum load	100kg (exl. shelf and arms)
Mobile/fixed	Mobile
Height adjustment	Electr. 500mm, speed up to 38 mm/s
Bracket/interface	Included
Type bracket/interface	VESA
Height adjustment speed	38mm/s
Range bracket/interface	Min. VESA Compatibility 200 x 200 Max. VESA Compatibility 800 x 600
App control cable for height adj	Included



© 2021 Clevertouch. All rights reserved. Sahara Presentations Systems PLC. is part of the Boxlight group of companies, and the owner of trademarks in several global jurisdictions including but not limited to Clevertouch, the Clevertouch logo, UX Pro, IMPACT™, IMPACT Plus™, Impact MAX, CleverLive, LUX, Lynx, CleverMessage, Cleverstore and Clevershare. All third-party trademarks (including logos and icons) referenced by Clevertouch remain the property of their respective owners. Unless specifically identified as such, Clevertouch's use of third-party trademarks does not indicate any relationship, sponsorship, or endorsement between Clevertouch and the owners of these trademarks. Applicable Terms and Conditions for warranty and support available at clevertouch.com/about/warranty. All weights and dimensions are approximate. Product specifications are subject to change without notice. Clevertouch.com.

Wall Lift Low Access



The Wall Lift Low Access is an electrical height adjustable column and offers an impressive 500mm of height adjustment, providing flexibility in positioning. This system is suitable for mounting on compatible walls, with a default wall clearance of 70mm, and comes with four levelling feet for added stability. The display mount is designed to support screens up to 86", with a maximum load capacity of approximately 150kg, securing large and heavy screens with ease. Suitable for ages 4-11 (approximate body size 1190-1590mm).



Wall Lift Low Access Specifications

Features


Minimum height	805mm (Centre Screen)
Maximum height	1305mm (Centre Screen)
Colour	Black
Maximum load	150kg approx
Mobile/fixed	Mobile
Height adjustment	Electric - 500mm
Bracket/interface	Included
Type bracket/interface	VESA
Range bracket/interface	VESA 200 x 200 up to 800 x 600
Collision Detection	Yes

Accessories

Side shelf, floor plate, plate to ground fixing

Packing Units

Item No.	Description	Packing dimensions (mm)	Net weight (kg)	Gross weight (kg)
CCE50B-W	Electrical height adjustable column, 500mm height adjustment, L = 700mm	970 x 270 x 220	18,0	19,5
AF-SCETA-N	Display mount	160 x 900 x 450	11,7	13,6
Total Weight			28,7	33,1



© 2021 Clevertouch. All rights reserved. Sahara Presentations Systems PLC. is part of the Boxlight group of companies, and the owner of trademarks in several global jurisdictions including but not limited to Clevertouch, the Clevertouch logo, UX Pro, IMPACT™, IMPACT Plus™, Impact MAX, CleverLive, LUX, Lynx, CleverMessage, Cleverstore and Clevershare. All third-party trademarks (including logos and icons) referenced by Clevertouch remain the property of their respective owners. Unless specifically identified as such, Clevertouch's use of third-party trademarks does not indicate any relationship, sponsorship, or endorsement between Clevertouch and the owners of these trademarks. Applicable Terms and Conditions for warranty and support available at clevertouch.com/about/warranty. All weights and dimensions are approximate. Product specifications are subject to change without notice. Clevertouch.com.

Wall Lift LIGHT

The Wall Lift LIGHT is a motorized wall mount that is specifically designed for interactive flat-panel displays up to 86" in size. It provides 500mm of vertical travel, allowing for convenient height adjustment. The unit is shipped flat-packed for easy transportation and installation. It is equipped with a display mount with "pull & release" locking brackets, ensuring a swift and effortless mounting process for the display.

Only available
in Belgium

Collision
Detection


Wall Lift LIGHT Specifications

Features

Minimum height	1049mm (Centre Screen)
Maximum height	1549mm (Centre Screen)
Colour	Black/Grey
Maximum load	125kg approx
Mobile/fixed	Fixed
Height adjustment	Electric - 500mm
Bracket/interface	Included
Type bracket/interface	VESA
Range bracket/interface	VESA pattern max. 800 x 600
Collision Detection	Yes

Packing Units


Packaging dimensions	1320 x 270 x 220 mm
Packaging weight	27.8kg



© 2021 Clevertouch. All rights reserved. Sahara Presentations Systems PLC. is part of the Boxlight group of companies, and the owner of trademarks in several global jurisdictions including but not limited to Clevertouch, the Clevertouch logo, UX Pro, IMPACT™, IMPACT Plus™, Impact MAX, CleverLive, LUX, Lynx, CleverMessage, Cleverstore and Clevershare. All third-party trademarks (including logos and icons) referenced by Clevertouch remain the property of their respective owners. Unless specifically identified as such, Clevertouch's use of third-party trademarks does not indicate any relationship, sponsorship, or endorsement between Clevertouch and the owners of these trademarks. Applicable Terms and Conditions for warranty and support available at clevertouch.com/about/warranty. All weights and dimensions are approximate. Product specifications are subject to change without notice. [Clevertouch.com](https://clevertouch.com).

Heavy Duty Wall Mount

Designed to mount all Clevertouch interactive displays up to 86". This Heavy Duty Wall Mount can be quickly installed and features security locking screws to help prevent unauthorised removal of the screen, lateral adjustment along the length of the mount and integrated cable management.




Heavy Duty Wall Mount Specifications

Key Benefits

Designed for Sahara Clevertouch displays up to 86"
Simple 'hook-on' installation
Lateral adjustment along the length of the mount
Locking screws help prevent unauthorised removal of screens
Can be pole mounting using B-Tech's Ø50mm System 2 range
All mounting hardware included

Features

Max Screen Size	86" max
Max Load	100kg
VESA® Fixings	up to 800 x 600mm
Dimensions	H: 628mm x W: 900mm x D: 32mm



© 2021 Clevertouch. All rights reserved. Sahara Presentations Systems PLC. is part of the Boxlight group of companies, and the owner of trademarks in several global jurisdictions including but not limited to Clevertouch, the Clevertouch logo, UX Pro, IMPACT™, IMPACT Plus™, Impact MAX, CleverLive, LUX, Lynx, CleverMessage, Cleverstore and Clevershare. All third-party trademarks (including logos and icons) referenced by Clevertouch remain the property of their respective owners. Unless specifically identified as such, Clevertouch's use of third-party trademarks does not indicate any relationship, sponsorship, or endorsement between Clevertouch and the owners of these trademarks. Applicable Terms and Conditions for warranty and support available at clevertouch.com/about/warranty. All weights and dimensions are approximate. Product specifications are subject to change without notice. Clevertouch.com.

CMS Trolley V2

Designed for large screen from 55" up to 86". The 1700165 features simple hook-on installation making fitting a screen to the trolley quick and easy. aswell as security locking screws to help prevent unauthorised removal of the screen, lateral adjustment along the length of the mount and integrated cable management.

Only available
in the UK


CMS Trolley V2 Specifications

Key Benefits

Designed for interactive displays up to 86"
Simple 'hook-on' installation
Lateral adjustment along the length of the mount
Locking screws help prevent unauthorised removal of screens
Can be pole mounted to Ø50mm poles
All mounting hardware included
Integrated Cable Management

Features

Maximum screen size	86" Max
Maximum load	100kg
Colour	Black
VESA® Fixings	Min. VESA Compatibility 200 x 200 Max. VESA Compatibility 800 x 600
Dimensions (HxWxD)	1932.8mm x 1098.2mm x 738.4mm




© 2021 Clevertouch. All rights reserved. Sahara Presentations Systems PLC. is part of the Boxlight group of companies, and the owner of trademarks in several global jurisdictions including but not limited to Clevertouch, the Clevertouch logo, UX Pro, IMPACT™, IMPACT Plus™, Impact MAX, CleverLive, LUX, Lynx, CleverMessage, Cleverstore and Clevershare. All third-party trademarks (including logos and icons) referenced by Clevertouch remain the property of their respective owners. Unless specifically identified as such, Clevertouch's use of third-party trademarks does not indicate any relationship, sponsorship, or endorsement between Clevertouch and the owners of these trademarks. Applicable Terms and Conditions for warranty and support available at clevertouch.com/about/warranty. All weights and dimensions are approximate. Product specifications are subject to change without notice. Clevertouch.com.

CleverAscent Mounting Solutions

Learn More

The CleverAscent is a modular kit that delivers flexibility for your mounting requirements. The sturdy construction allows for wall mount, floor stand mount, and mobile trolley mount. Designed to suit your application, room size, location, and needs.



Collision Detection



CleverAscent Mounting Solutions Specifications

Features



Product Name	Electric Mobile Stand
Maximum Load	120 kg
Stroke	950 mm
VESA	800x600 mm
Screen size	55-86 inch
Casters Dimension	4 inch
Color	Black
Product Dimensions	Wall Mount Module - 949 x 172 x (875~1825)mm Mobile Kit - 866 x 239 x 200mm Floor Kit - 950 x 440 x 10mm
Package Dimensions	CleverAscent Mobile Trolley 905 x 180 x 200mm (Mobile Kit) CleverAscent Wall Mount 1110 x 935 x 145mm (Stand Body) CleverAscent Floor Mount 986 x 455 x 22mm
Net Weights	CleverAscent Mount Module 2.0 (EDW06B) - 34.64kg CleverAscent 2.0 Mobile Base - 6.52kg CleverAscent 2.0 Floor Plate - 19.5kg
Gross Weights	CleverAscent Mount Module 2.0 (EDW06B) - 38.9kg CleverAscent 2.0 Mobile Base - 7.62kg CleverAscent 2.0 Floor Plate - 21.52kg

Accessories & Documents

Screw Kit	× 1
Power Cord	× 1
Power adapter cable	× 1
Wall Mount Bracket	× 2
Cable bracket	× 1
User Manual	× 1

Environmental Conditions


Operation Temperature	0 ~ 40%
Operation Humidity	10 ~ 90%
Storage Temperature	-20 ~ 60°C
Storage Humidity	10 ~ 90%



© 2024 Clevertouch. All rights reserved. Sahara Presentations Systems Ltd is part of the Boxlight group of companies, and the owner of trademarks in several global jurisdictions including but not limited to Clevertouch, the Clevertouch logo, i5, IMPACT™, IMPACT Plus™, Impact MAX, CleverLive, LUX, Lynx, CleverMessage, Cleverstore and Clevershare. All third-party trademarks (including logos and icons) referenced by Clevertouch remain the property of their respective owners. Unless specifically identified as such, Clevertouch's use of third-party trademarks does not indicate any relationship, sponsorship, or endorsement between Clevertouch and the owners of these trademarks. Applicable Terms and Conditions for warranty and support available at clevertouch.com/about/warranty. All weights and dimensions are approximate. Product specifications are subject to change without notice. Clevertouch.com.

CleverAscent 2.0 Whiteboard Wing Frames

Learn More



CleverAscent 2.0 Whiteboard Wing Frames Specifications

Features



Product Name	Whiteboard Frame
Model	/
Adaptation specifications	86/75 inches
VESA	400 x 200 - 800 x 600
Max Load	120kg
Installation Mode	Screw fixation
Color	Black
Overall Dimension	2109 x 1193.5 x 211.5mm
Package Dimension	1180 x 1040 x 60mm
Packing Quantity	1
Net Weight	16kg
Gross Weight	18.7kg
Warranty Period	5 years

Accessories and Documents


Screw Kit	1
User Manual	1

Environmental Conditions

Operation Temperature	0 - 40°C
Operation Humidity	10 - 90 %
Storage Temperature	-20 - 40°C
Storage Humidity	10 - 90 %



© 2021 Clevertouch. All rights reserved. Sahara Presentations Systems PLC, is part of the Boxlight group of companies, and the owner of trademarks in several global jurisdictions including but not limited to Clevertouch, the Clevertouch logo, UX Pro, IMPACT™, IMPACT Plus™, Impact MAX, CleverLive, LUX, Lynx, CleverMessage, Cleverstore and Clevershare. All third-party trademarks (including logos and icons) referenced by Clevertouch remain the property of their respective owners. Unless specifically identified as such, Clevertouch's use of third-party trademarks does not indicate any relationship, sponsorship, or endorsement between Clevertouch and the owners of these trademarks. Applicable Terms and Conditions for warranty and support available at clevertouch.com/about/warranty. All weights and dimensions are approximate. Product specifications are subject to change without notice. Clevertouch.com.



FS 530710

EMS 541383

IS 810562

Statement

The product images on the specifications are for illustrative purposes only and may slightly differ in appearance, color, size, etc., from the actual product. Due to variations in product configuration and manufacturing processes, the actual size and weight of the product may differ. To ensure the most accurate product specifications and characteristics, the text description and images in this document may be updated in real-time to reflect the actual product performance and specifications. No special notice will be given if changes occur. Please refer to the actual product for precise details.

