


by Boxlight®



CL Pro XTR

Connect, captivate, and communicate 24/7 with CL Pro XTR

Our cutting-edge playout screen, powered by CleverLive digital signage, keeps your audience engaged around the clock.

Available in 65" 4K











Key Features













4k Ultra HD Resolution Capable of full, multi zoned digital signage, no additional media player required Landscape & Portrait One Touch Messaging & Broadcasting Scheduling Power Management for Screen Sustainability Up to 5-Year Warranty



Control Integration





Operational 24/7



Android Technology



OTA Updates & Cloud Accounts



Slimline bezel from 9.9mm

Software Included



Any device can download the Clevershare app and connect instantly by typing in the code on the Clevertouch screen. Compatible with Android, Windows, iOS, and Chrome devices.

Learn More

CLEVER® LIVE

CleverLive is a cloud management platform that enables the creation, deployment, and management of content deployed across one or multiple displays, which is compatible with any device.

Learn More

CLEVERMDM[®]

Your IT team can control, update and troubleshoot a fleet of Clevertouch screens without entering the classroom, ensuring your teachers always have the latest versions of apps and software when teaching.

Learn More

Upgrade your solution





Add an OPS or Video Conferencing Bar to create a Microsoft Teams Room or Zoom Room environment.

partnered with

















CL Pro XTR Specifications

Display

Screen size	65" 4K
Screen Type	VA
Aspect Ratio	16:9
Display Colours	1.07 Billion (10 bit)
Resolution	4K UHD (3840x2160 @60Hz)
Response Time	6.5ms
Refresh Rate	60Hz
LCD Viewing Angle	178°
Brightness	700 cd/m2
Contrast Ratio	5000:1
DC Dimming (for Flicker Free)	Yes
Main Board	982
Life of Screen	50,000 Hours
NTSC	72%

Connectivity

OPS Slot	Yes
HDMI In	3
HDMI OUT (Clone content from one display to another)	1
USB-A 2.0	1
USB A 3.0 (faster data transfer)	1
USB C (Video, Audio & Touch)	1 x USB Side Type C with video, audio, 65W PD and network sharing
LAN In (RJ45)	1
LAN OUT	Yes
RS-232	1
Wake-on-Lan	Yes
Wireless Adapter 2.0 + WAP	Yes
Clevertouch WiFi Module	Yes
Bluetooth	5.0
Optical Out	1
Headphone	1 (3.5mm)
Gyroscope	Yes
Auto-rotate	Yes
WIFI	IEEE 802.11a/b/g/n/ac/ax with 2 × 2 MIMO (hotspot only) (both 2.4 and 5 GHz bands)
WiFi Generation	WiFi 6
WiFi Speed	Capable of speeds up to 1Gbps

Power

Power Requirements	100-240V~ 50/60Hz 3.5A
Power Consumption (Normal)	165W
Power Consumption (Standby)	≤0.5W
Ultra Quiet Fanless Design	Yes

Computing

Operating System	Android 11
System Version	LUX 11
RAM	4GB
Internal Storage	32GB
СРИ	Quad Core A55
GPU	Mali G52 MP2
Android Resolution	4K
System Architecture	32B

Audio

Dual Front Facing, Bass Enhanced Speakers	2 x 16W
SPDIF / Fibre	Yes
Sound Channel	2.0

Operating and Storage Environment

Operating Temperature	0° to 40°
Storage Temperature	-20° to 60°
Operating Humidity	10% to 90% RH
Storage Humidity	10% to 90% RH
Altitude	Below 5000 metres

Physical Spec

Panel Dimensions	1463.3 x 838.3 x 71.64mm
Packed Dimensions	1628 x 208 x 942mm
Bezel Sizes	15.9mm
Net Weight	25.40kg
Packed Weight	33.25kg
VESA Mount Point	600 x 400mm
Screws for VESA	M8 x 25mm

Software & Features

OpenSDK Support	Yes
Intelligent O&M	Yes
H.264 + H.265	Yes
HD Hardware Encoding and Decoding	Yes
CleverLive™ Embedded Digital Signage	Yes
Clevershare™ Mirroring Any Device To The Board	Yes
Miracast (WiFi Direct)	Yes
AirPlay	Yes
Chromecast	Yes
CleverLive Rooms™ Embedded Room Booking	Yes
Alerts and Announcements	Yes
Over-the-Air Updates	Yes
Remote Management Of Touchscreens (MDM)	Yes

CL Pro XTR Specifications

Inside your Clevertouch Box

- (1) CL Pro Series XTR 24/7 Commercial Display
- (1) Regional Power Cable
- (1) HDMI Cable
- (1) Remote Control
 - (1) Batteries for Remote Control
 - (1) Clevertouch WiFi Module
 - (1) Quick Install Guide

Support

What's In The Box

For all Clevertouch products, visit: support.clevertouch.com

Installation

The installation of this product should be completed by a qualified installer. Use of components not supplied by Clevertouch or not meeting minimum specifications may impact performance, safety and warranty. For more information, visit clevertouch.com

Warranty

Warranty term and upgrade options vary by region. Contact your local reseller or distributor for information and visit clevertouch.com/about/warranty

Compliance & Certification

Regulatory Certification

CE, CB, FCC, IC (EMC), SANS 62087, Energy Star, ERP (Ecodesign), EEI








Our commitment to the Environment, Quality and Security


Cyber Essentials and BSI ISO9001, ISO14001, ISO27001 Certifications.





CL Pro XTR Technical Drawings





65"

Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product. The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product. The description, illustrations, etc. in this document may be subject to change in accordance with the latest product specification and performance. Should the above-mentioned change in the document become necessary, the document may be updated without written notice.

© 2025 Clevertouch. All rights reserved. Sahara Presentations Systems Ltd is part of the Boxlight group of companies, and the owner of trademarks in several global jurisdictions including but not limited to Clevertouch, the Clevertouch logo, UX Pro, IMPACT^{IM}, IMPACT Plus^{IM}, Impact MAX, CleverLive, LUX, LYNX Whiteboard, X5, CleverMessage, CleverLiveStore, Clevershare, CleverLiveRooms, CleverMDM, CL Totem, CL Touch Totem, CL Pro, CM Pro and CM Totem. All third-party trademarks (including logos and icons) referenced by Clevertouch remain the property of their respective owners. Unless specifically identified as such, Clevertouch's use of third-party trademarks does not indicate any relationship, sponsorship, or endorsement between Clevertouch and the owners of these trademarks. Applicable Terms and Conditions for warranty and support available at clevertouch. com/about/warranty. All weights and dimensions are approximate. Product specifications are subject to change without notice. Clevertouch.com.