

CL Pro Series

The All-in-One Commercial Display for Digital Signage and Meeting Rooms

With built-in digital signage for seamless content management and real-time alerts, and screen-sharing capabilities for enhanced meeting collaboration, the CL Pro Series is the ultimate all-in-one display solution.

Available in a range of sizes 43" 4k | 55" 4k | 65" 4k | 75" 4k | 86" 4k | 98"4k

Slimline bezel from 9.9mm

eight group

Believe you can and you're halfway there



Screen
Sustainability
Scheduling

for reduced power consumption



Dual Display Orientation

n both landscape and oortrait to suit vour needs.

1-year MDM* included

Remote access to manage, view and support your display for the ultimate in control and flexibility.

CLEVER® LIVE

Embedded Digital Signage, subscription free.

Create your account today at **cleverlive.com**

CLEVERSHARE®

Connect and share any device in an instant with the free to download CleverShare App.

The description, illustrations, etc. on this document may be subject to change in accordance with the latest product specification and performance.

Key Features













Ultra HD Resolution Vibrant Picture Quality 16/7 Operation

QR Code interactive functionality

One Touch Messaging & Broadcasting Screen
Sustainability
Scheduling
Power
Management



202





Screen share up to 9

Control Integration

Capable of full, multi zoned digital signage, no additional media player required. Android Technology MDM Built-in Management Control OTA Updates & Cloud Accounts

Upgrade your solution





Add an **OPS** or **Video Conferencing Bar** to create a Microsoft Teams Room or Zoom Room environment. *OPS not applicable with CL Pro 43" and 55"

partnered with









CL Pro Series Specifications

Display

Screen size	43" 4K, 55" 4K, 65" 4K, 75" 4K, 86" 4K, 98" 4K	
Screen type	43": VA - Direct LED Backlight 55": VA - Direct LED Backlight 65": ADS - Direct LED Backlight 75": ADS - Direct LED Backlight 86": ADS - Direct LED Backlight 98": ADS - Direct LED Backlight	
Aspect Ratio	16:9	
Display Colours	1.07 Billion (10 bit)	
Resolution	4K UHD (3840x2160 @60Hz)	
Response Time	43": 6.5ms 55": 6.5ms 65": 8ms 75": 8ms 86": 8ms 98": 8ms	
Refresh Rate	60Hz	
LCD Viewing Angle	178°	
Brightness	43": 450 cd/m2 55": 450 cd/m2 65": 450 cd/m2 75": 450 cd/m2 86": 450 cd/m2 98": 500 cd/m2	
Contrast Ratio	43": 5000:1 55": 4000:1 65": 1200:1 75": 1200:1 86": 1200:1 98": 1200:1	
DC Dimming (for Flicker Free)	Yes	
Main Board	982	
Life of Screen	50,000 Hours	
NTSC	72%	

Connectivity

OPS Slot	43": No 55": No 65": Yes 75": Yes 86": Yes 98": Yes	
HDMI-In	43": 2 55": 2 65": 3 75": 3 86": 3 98": 3	
HDMI-Out	x1	
USB-A 2.0	x1	
USB A 3.0 (faster data transfer)	x1	
USB C (Video, Audio & Touch)	1 x USB Side Type C with video, audio, 65W PD and network sharing	
LAN In (RJ45)	x1	
LAN OUT	43": No 55": No 65": Yes 75": Yes 86": Yes 98": Yes	
RS-232	x1	
Wake-on-Lan	Yes	
WirelessAdapter 2.0 + WAP	Yes	
Clevertouch WiFi Module	Yes	
Bluetooth	5.0	

Optical Out	x1	
Headphone	1(3.5mm)	
Gyroscope	Yes	
Auto-rotate	Yes	
WIFI	IEEE 802.11a/b/g/n/ac/ax with 2 \times 2 MIMO (hotspot only) (both 2.4 and 5 GHz bands)	
WIFI Generation	WIFI 6	
WIFI Speed	Capable of speeds up to 1Gbps	

Computing

Operating System	Android 11
System Version	LUX 11
RAM	4GB
Internal Storage	32GB
CPU	Quad Core A55
GPU	Mali G52 MP2
Android Resolution	4K
System Architecture	32B

Audio

Dual Front Facing, Bass Enhanced Speakers	2 x 16W
SPDIF / Fibre	Yes
Sound Channel	2.0

Power

Power Requirements	43": 100-240V~ 50/60Hz 2.5A
	55": 100-240V~ 50/60Hz 3.0A
	65": 100-240V~ 50/60Hz 3.5A
	75": 100-240V~ 50/60Hz 4.5A
	86": 100-240V~ 50/60Hz 5.0A
	98": 100-240V~ 50/60Hz 5.5A
	43": 55.72W
	55": 72.24W
	65": 80.29W
Power Consumption (Normal)	75": 107.54W
	86": 168.3W
	98": 164.22W
Power Consumption (Standby)	≤0.5W
Ultra Quiet Fanless Design	Yes

Operating and Storage Environment

Operating Temperature	0° to 40°
Storage Temperature	-20° to 60°
Operating Humidity	10% to 90% RH
Storage Humidity	10% to 90% RH
Altitude	Below 5000 metres

CL Pro Series Specifications

Physical Spec

43": 964.6 x 552.5 x 71.4mm 55": 1233 x 703.5 x 71.4mm 65": 1463.3 x 838.3 x 76.4mm 75": 1685.6 x 963.7 x 81.6mm 86": 1930.8 x 1101.8 x 81.6mm 98": 2212.9 x 1268.4 x 79.4mm
43": 1056 x 156 x 672mm 55": 1332 x 156 x 819mm 65": 1628 x 208 x 942mm 75": 1863 x 225 x 1090mm 98": 2360 x 280 x 1425mm 86": 2110 x 225 x 1227mm
43": 9.9mm 55": 9.9mm 65": 15.9mm 75": 15.9mm 86": 15.9mm 98": 25mm
43": 9.90kg 55": 13.40kg 65": 25.4kg 75": 34.65kg 86": 43.15kg 98": 69.90kg
43": 13.85kg 55": 19.50kg 65": 33.25kg 75": 48.15kg 86": 60.75kg 98": 90.80kg
43": 200 x 200mm 55": 400 x 200mm 65": 600 x 400mm 75": 800 x 600mm 86": 800 x 600mm 98": 800 x 600mm
43": M6 × 12mm 55": M6 × 12mm 65": M8 × 25mm 75": M8 × 25mm 86": M8 × 25mm 98": M8 × 25mm

Installation

The installation of this product should be completed by a qualified installer. Use of components not supplied by Clevertouch or not meeting minimum specifications may impact performance, safety and warranty. For more information, visit clevertouch.com

Support

For all Clevertouch products, visit: support.clevertouch.com

Inside your Clevertouch Box

What's In The Box	(1) CL Pro Series Commercial Display
	(1) Regional Power Cable
	(1) HDMI Cable
	(1) Remote Control
	(1) Batteries for Remote Control
	(1) Clevertouch WiFi Module
	(1) Quick Install Guide

Warranty

Warranty term and upgrade options vary by region. Contact your local reseller or distributor for information and visit clevertouch.com/about/warranty

Compliance & Certification

Regulatory Certification	CE, CB, FCC, IC (EMC), SANS 62087, Energy Star, ERP (Ecodesign), EEI
--------------------------	--





Software & Features


OpenSDK Support	Yes
Intelligent O&M	Yes
H.264 + H.265	Yes
HD Hardware Encoding and Decoding	Yes
CleverLive™ Embedded Digital Signage	Yes
Clevershare™ Mirroring Any Device To The Board	Yes
Miracast (WiFi Direct)	Yes
AirPlay	Yes
Chromecast	Yes
CleverLive Rooms™ Embedded Room Booking	Yes
Alerts and Announcements	Yes
Over-the-Air Updates	Yes
Remote Management Of Touchscreens (MDM)	Yes

Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product. The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product. The description, illustrations, etc. in this document may subject to change in accordance with the latest product specification and performance. Should the abovementioned change in the document become necessary, the document may be updated without written notice.


© 2024 Clevertouch. All rights reserved. Sahara Presentations Systems PLC. is part of the Boxlight group of companies, and the owner of trademarks in several global jurisdictions including but not limited to Clevertouch, the Clevertouch logo, UX Pro, IMPACT™, IMPACT Plus™, Impact MAX, CleverLive, LUX, Lynx, CleverMessage, Cleverstore and Clevershare. All third-party trademarks (including logos and icons) referenced by Clevertouch remain the property of their respective owners. Unless specifically identified as such, Clevertouch's use of third-party trademarks does not indicate any relationship, sponsorship, or endorsement between Clevertouch and the owners of these trademarks. Applicable Terms and Conditions for warranty and support available at clevertouch.com/about/warranty. All weights and dimensions are approximate. Product specifications are subject to change without notice. Clevertouch.com.


CL Pro Specifications




43'


55"





65"





81.6mm 1685.6mm 2mm 1685.8mm (pending Area) 15.9 [0, 63]


14.8mm 15.9 [0, 63]

15.9 [0, 63]

15.9 [0, 63]


15.9 [0, 63]

15.9 [0, 63]



75

CL Pro Specifications



98"

