

PICO XI

Connect, Create & Control

The PICO XI is a functional media player supporting multi-zoned digital signage requirements. Manage your digital signage from a cloud platform enabling you to send content quickly and easily.

powered by



android




Complete your PICO XI Digital Signage solution by integrating additional technology from the CleverTouch Range, such as, room booking panels, interactive touchscreen panels and non-touch screens panels.

Group screens to send targeted messages to various audiences.

Create a playlist to display content based on times, dates, seasons.

Send emergency messages with a single click from a personal device.

Engage with audiences using QR codes.



CLEVER® LIVE

Control your PICO XI with CleverLive

Update and control your devices anywhere in the world from a cloud portal login using CleverLive.

1-Year MDM* included

Remote access to manage, view and support your signage player for the ultimate in control and flexibility

Key Features




Movies & Videos



Photos & Slideshows



Virtual Triggering



Animated Text



Instant Messaging



News Feed



Alerts



Posters



Clocks



HTML



Social Media



QR Code



Websites
(Subject to third party accessibility)



On/Off Power Scheduling



PDF




24/7 playback

How it works




Connect

Connect your Media Player to your Digital Signage Display



Create

Personalize and edit your chosen template, alternatively design your own with CleverLive



Control

Send the finalized template to your screen(s)



PICO XI Specifications

Specification

Processor	Rockchip 3399, Dual Cortex-A72 + Quad Cortex-A53
Memory	4GB Low Power DDR4
Storage	32GB eMMC
Graphics	Mali-T864 Supports OpenCL1.2, DirectX11
Network	Gigabit Ethernet
Wireless	AP6356S (802.11b/g/n/ac) WiFi Dual Band (2.4Ghz, and 5Ghz) Bluetooth 4.1
Audio	I2S Audio IC
Power Input	12V DC In
Front Input / Outout Ports	1x HDMI 2.0 (4K @ 60hz) 1x Combo Mic / Audio Jack 1x USB 3.0 3x USB 2.0 1x RJ45 2x WiFi Antenna 1x USB 3.0 Type C

Material	Metal
Net Weight	0.5kg
Dimensions	128 x 128 x 30 mm (L x W x H)
Operating Temperature	0°C to 45°C
Storage Temperature	-20° to 70°
Supported OS	Android 11
MDM	Yes (*MDM designed for remote support and app updating)
Wall bracket	Yes - Included

© 2021 Clevertouch. All rights reserved. Sahara Presentations Systems PLC. is part of the Boxlight group of companies, and the owner of trademarks in several global jurisdictions including but not limited to Clevertouch, the Clevertouch logo, UX Pro, IMPACT™, IMPACT Plus™, Impact MAX, CleverLive, LUX, Lynx, CleverMessage, Cleverstore and Clevershare. All third-party trademarks (including logos and icons) referenced by Clevertouch remain the property of their respective owners. Unless specifically identified as such, Clevertouch's use of third-party trademarks does not indicate any relationship, sponsorship, or endorsement between Clevertouch and the owners of these trademarks. Applicable Terms and Conditions for warranty and support available at clevertouch.com/about/warranty. All weights and dimensions are approximate. Product specifications are subject to change without notice. [Clevertouch.com](https://clevertouch.com).