

PICO XI

Connect, Create & Control

The PICO XI is a functional media player supporting multizoned digital signage requirements. Manage your digital signage from a cloud platform enabling you to send content quickly and easily.



powered by



android



Complete your PICO XI Digital Signage solution by connecting additional technology from the Clevertouch Range, such as, room booking panels, interactive touch screen panels and non-touch screens panels.



Group screens to send targeted messages to various audiences.

Create a playlist to display content based on times, dates, seasons.

Send emergency messages with a single click from a personal device.

Engage with audiences using QR codes.



CLEVER® LIVE

Control your PICO XI with CleverLive

Update and control your devices anywhere in the world from a cloud portal login using CleverLive.

1-year MDM* included

Remote access to manage, view and support your signage player for the ultimate in control and flexibility

Key Features




Movies & Videos



Photos & Slideshows



Virtual Triggering



Animated Text



Instant Messaging



News Feed



Alerts



Posters



Clocks



HTML



Social Media



QR Code



Websites
(Subject to third party accessibility)



On/Off Power Scheduling



PDF




24/7 playback

How it works



Connect

Connect your Media Player to your Digital Signage Display



Create

Personalise and edit your chosen template, alternatively design your own with CleverLive



Control

Send the finalised template to your screen(s)



PICO XI Specifications

Specification

Processor	Rockchip 3399, Dual Cortex-A72 + Quad Cortex-A53
Memory	4GB Low Power DDR4
Storage	32GB eMMC
Graphics	Mali-T864 Supports OpenCL1.2, DirectX11
Network	Gigabit Ethernet
Wireless	AP6356S (802.11b/g/n/ac) WiFi Dual Band (2.4Ghz, and 5Ghz) Bluetooth 4.1
Audio	I2S Audio IC
Power Input	12V DC In
Front Input / Outout Ports	1x HDMI 2.0 (4K @ 60hz) 1x Combo Mic / Audio Jack 1x USB 3.0 3x USB 2.0 1x RJ45 2x WiFi Antenna 1x USB 3.0 Type C

Material	Metal
Net Weight	0.5kg
Dimensions	128 x 128 x 30 mm (L x W x H)
Operating Temperature	0°C to 45°C
Storage Temperature	-20° to 70°
Supported OS	Android 11
MDM	Yes (*MDM designed for remote support and app updating)
Wall bracket	Yes - Included