

98" Pro Series 3



Ultimate Size **Unlimited Potential**

New Pro Series

A simple to use touchscreen solution that comes with superior connectivity and advanced collaborative technology as standard. Pro Series is the touchscreen solution designed for all meeting spaces.



touch detection.



storage up to 648GB.



Anti-Glare Display

Reduce reflections and improve the viewing experience in brightly lit rooms or rooms with windows.

Integrated NFC Technology

Log into shared Clevertouch devices to access personalised settings, apps, or files by tapping an NFC card or tag.

Key Features



Cyber Essentials compliant for optimal security protocols.



Wireless or hardwired connections so that team members and visitors can connect safely using separate networks.



Seamless integration with room booking system - Sync with your MS Exchange™ and Outlook 365 Calenders.



Sync with Google Drive, OneDrive and Dropbox so that you can work anywhere at any time.



Room filling sound with 2x20W audio.



The most fluid, lag free writing experience on a touchscreen with true 4K high Precision Technology.



Evolve your meetings with CleverLauncher. Create bespoke user interfaces.



Five year comprehensive warranty, extendable to seven years.



Instant Over-the-Air Updates (OTA) seamlessly delivered to your display.



Improve communication with instant messages and alerts using CleverLive digital signage.

Our commitment to the Environment, Quality and Security.





98" Pro Series Specifications

Display

| Diagonal Size | 98" 4K |
|-------------------------------|--|
| Screen Type | ADS LCD - Direct LED Backlight |
| Aspect Ratio | 16:9 |
| Display Colours | 1.07 Billion (10 bit) |
| Resolution | 4K UHD (3840x2160 @60Hz) |
| Response Time | 8ms |
| Refresh Rate | 60Hz |
| LCD Viewing Angle | 178° |
| Brightness | 450 cd/m2 |
| Contrast Ratio | 1200:1 |
| Dynamic Contrast Ratio | 5000:1 |
| DC Dimming (for Flicker Free) | Yes |
| Glass Hardness | Tempered Glass - Mohs Level 7 |
| Glass Thickness | 4mm |
| Glass Type | Low Parallax 0mm Air Gap - Heat tempered - Anti Glare & Anti smudge for durability - Super Glide Surface |
| Main Board | RK3576 |
| Life of Screen | 50,000 hours |
| NTSC | 72% |

Interactivity

| Writing Technology | High Precision IR Technology |
|-----------------------------|---|
| Continuous Touch Points | 50 |
| Touch Resolution | 32768x32768px |
| Response Time | ≤2.5ms |
| Touch Accuracy | ±1mm |
| Minimum Object Size | 2mm |
| Touch Tool | Finger, passive pen, opaque objects |
| Simultaneous Writing | Yes |
| Ink In Tools | Yes - LYNX |
| Pens Included | 2 |
| Pen Type | Dual Recognition Stylus |
| Pen Holder | Integrated magnetic pen holders |
| Pen Tip Diameter | 3mm/7mm |
| Pen & Touch Differentiation | Yes |
| Pen Identities | 2 |
| Palm Rejection | Yes |
| Annotation Over Any Source | Yes |
| Classroom Essential Apps | Includes Whiteboard, Annotate, Timer, Media Players, Browser, PDF Reader, Screen Record, Spinner, Voting, Maths Tools |
| Compatibility* | Windows 10, Linux, Mac, Android, Chrome |
| Tracking Rate | 1m/s |
| Scan Rate | 400Hz |
| Gestures & Edge Swipes | Windows Supported, OSX With additional Driver |

Connectivity

| SD Card Slot | 1 |
|----------------------------------|--|
| OPS Slot | 1 - Intel Spec 80Pin |
| HDMI In | 3 (2.0) |
| HDMI Out | 1 |
| USB-A 2.0 | 1 (1 USB for system upgrade) |
| USB Touch (type B) | 2 (3.0) |
| USB A 3.0 (faster data transfer) | 2 x Front USB Type A 3.0 with faster data transfer 2 x Side USB Type A 3.0 with faster data transfer |
| USB C (Video, Audio & Touch) | 1 x Front USB Type C with video, audio, touch, network & 65W charging 1 x Side USB Type C with video, audio, touch & network. |
| LAN In (RJ45) | 1 |
| LAN Out (RJ45) | 1 |
| RS-232 | 1 |
| Wake-on-Lan | Yes |
| Wireless | Yes |
| Clevertouch WiFi Module | Yes |
| Bluetooth | Yes |
| DisplayPort | 1 |
| VGA In | 1 |
| Audio In | 1 (3.5mm) |
| Optical Out | 1 |
| Headphone | 1 (3.5mm) |
| Total touch out ports | 2 (3.0) |
| NFC Reader / Writer | Yes - integrated |
| Camera | Optional Extra |
| Array Mic | 8 Array Microphone |
| Sound pickup Angle | 180° |
| Sound pickup distance | 8m |
| Frequency Domain | 32kHz |
| WiFi | IEEE 802.11a/b/g/n/ac/ax with 2 \$ 2 MIMO (hotspot only) (both 2.4 and 5 GHz bands) |
| WiFi Generation | WiFi 6 |
| WiFi Speed | Capable of speeds up to 1Gbps |
| | |

Computing

| Operating System | Android 14 |
|---------------------|-------------------------------|
| System Version | LUX 14 |
| RAM | 8GB |
| Total storage | Up to 648GB |
| Internal Storage | 128GB |
| CPU | Quad Core A72 + Quad Core A53 |
| GPU | Mali G52 MC3 |
| Android Resolution | 4K |
| System Architecture | 64-bit |
| Integrated LUX UI | Yes |

98" Pro Series Specifications

Audio

| Dual Front Facing, Bass Enhanced Speakers | 2 x 20W |
|--|---------|
| Audio Out | Yes |
| SPDIF / Fibre | Yes |
| Sound Channel | 2 |
| Line Array Microphone | 8-array |

Power

| Power Requirements | 100-240V~ 50/60Hz 5.0A |
|--------------------------------|------------------------|
| Power Consumption (Normal) | 155.75W |
| Power Consumption (Standby) | < 0.5 Watts |
| Ultra Quiet Fanless Design | Yes |

Operating & Storage Environment

| Operating Temperature | 0° to 40° |
|-----------------------|-------------------|
| Storage Temperature | -20° to 60° |
| Operating Humidity | 10% to 90% RH |
| Storage Humidity | 10% to 90% RH |
| Altitude | Below 5000 metres |

Physical Spec

| Panel Dimensions | 2245x1326x90mm |
|-------------------|-----------------|
| Packed Dimensions | 2406x280x1474mm |
| Net Weight | 99.10kg |
| Packed Weight | 120.80kg |
| VESA Mount Point | 800x600mm |
| Screws for VESA | M8 x 25mm |

Inside your Clevertouch Box

| What's In The Box | (1) Clevertouch 98" Pro Series |
|-------------------|----------------------------------|
| | (1) 3M Length HDMI Cable |
| | (1) 3M Length USB cable (A-B) |
| | (1) 1.8M USBC Cable |
| | (1) 3M Regional Power Cable |
| | (1) Remote Control |
| | (2) Batteries for Remote Control |
| | (2) Dual Recognition Stylus |
| | (1) User Guide |
| | (1) Quick Install Guide |
| | (1) Clevertouch WiFi Module |
| | |

(1) Screen Wipe

Software & Features

| вуом | Yes |
|---|--|
| LYNX App With Online Lesson Planning | Yes |
| Handwriting Recognition | Yes - LYNX Pro |
| Unlimited Multi-Floating Resizable Windows | Yes |
| Split Screen Support | Yes |
| Ecosystem of Extensive Apps with Secure and Fast Download | Yes |
| OpenSDK Support | Yes |
| Intelligent O&M | Yes |
| H.264 + H.265 | Yes |
| HD Hardware Encoding and Decoding | Yes |
| CleverLive Embedded Digital Signage | Yes |
| Clevershare Mirroring Any Device To The Board | Free for the life of the screen (touch back) |
| Miracast (WiFi Direct) | Yes |
| AirPlay | Yes |
| Chromecast | Yes |
| Integrated Personalised Accounts Profiles | Yes |
| Cloud Account Access | OneDrive, Google Drive, LYNX Cloud |
| CleverLive Rooms Embedded Room Booking | Yes |
| Customizable Welcome Page with option to integrate logo, clocks apps and more (Clever-Launcher) | Yes |
| LynxCloud | Yes |
| Whiteboard Annotation | Yes |
| Scan QR Code For Saving Work | Yes |
| Alerts and Announcements | Yes |
| Over-the-Air Updates | Yes |
| Remote Management Of Touchscreens (MDM) | Yes - One year license |
| | |

Warranty

Warranty term and upgrade options vary by region. Contact your local reseller or $% \left\{ 1\right\} =\left\{ 1\right\} =\left$ distributor for information and visit clevertouch.com/about/warranty

Compliance & Certification

| Regulatory Certification | CE, FCC, UL, Energy Star & EEC |
|--------------------------|--------------------------------|
| Regulatory Certification | CE, PCC, OL, EHEIRY Stal & EEC |











© 2024 Clevertouch. All rights reserved. Sahara Presentations Systems PLC. is part of the Boxlight group of companies, and the owner of trademarks in several global jurisdictions including but not limited to Clevertouch, the Clevertouch logo, UX Pro, IMPACTPIUS™, Impact MAX, CleverLive, LUX, Lynx, CleverHessage, Cleverstore and Clevershare. All third-party trademarks (including logos and icons) referenced by Clevertouch remain the property of their respective owners. Unless specifically identified as such, Clevertouch's use of third-party trademarks does not indicate any relationship, sponsorship, or endorsement between Clevertouch and the owners of these trademarks. Applicable Terms and Conditions for warranty and support available at clevertouch.com/about/warranty. All weights and dimensions are approximate. Product specifications are subject to change without notice. Clevertouch.com.

98" Pro Series Specifications

Support

For all Clevertouch products, visit: support.clevertouch.com

Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product. The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product. The description, illustrations, etc. in this document may subject to change in accordance with the latest product specification and performance. Should the abovementioned change in the document become necessary, the document may be updated without written notice.

© 2024 Clevertouch. All rights reserved. Sahara Presentations Systems PLC. is part of the Boxlight group of companies, and the owner of trademarks in several global jurisdictions including but not limited to Clevertouch, the Clevertouch logo, UX Pro, IMPACT™, IMPACT Plus™, Impact MAX, CleverLive, LUX, Lynx, CleverMessage, Cleverstore and Clevershare. All third-party trademarks (including logos and icons) referenced by Clevertouch remain the property of their respective owners. Unless specifically identified as such, Clevertouch's use of third-party trademarks does not indicate any relationship, sponsorship, or endorsement between Clevertouch and the owners of these trademarks. Applicable Terms and Conditions for warranty and support available at clevertouch.com/about/warranty. All weights and dimensions are approximate. Product specifications are subject to change without notice. Clevertouch.com.